



Auto-Tracking Camera Family Specifications



The Innovation Behind The Image

Industry leader in professional image processing technology



*The warranty policy, TAA and NDAA compliant may be different depending on the sales region. Changes in specification or design may be done without notification.

4K-1080p | 60fps | 12x-30x Optical Zoom
HDMI / USB / IP / 3G-SDI / 12G-SDI



www.MyLumens.com

Auto-Tracking Camera



VC-TR1



VC-TA50



VC-TR40

Sensor	PTZ: 1/2.8" 2.13MP Panoramic: 1/2.5" 8.57MP	1/2.8" 2.16MP CMOS	PTZ: 1/2.8" 2MP Panoramic: 1/2.8" 2MP
Resolution	1080p60	1080p60	1080p60
Video Output	HDMI / 3G-SDI / USB / Ethernet	3G-SDI / HDMI / Ethernet	3G-SDI / HDMI / Ethernet / USB
Optical Zoom	20x	20x	20x
Horizontal View	PTZ: 58.7° Panoramic: 100°	57°	PTZ: 58.7° Panoramic: 111°
PoE	PoE+	PoE+	PoE
Audio In	Line In	Line In / MIC In	Line In / MIC In
Video Compression	HEVC(H.265)/ H.264/ MJPEG	H.264 / MJPEG	H.264 / MJPEG
Streaming Protocol	RTSP/ RTMP/ RTMPS	RTSP / RTMP / RTMPS / MPEG-TS / SRT	HTTP / RTSP / RTMP / RTMPS / SRT
Serial Control	RS-232	RS-232 / RS-422	RS-232

Accessories

Camera Controller



	VC-TR1	VC-TA50	VC-TR40
VS-KB30	V	V	V
VS-K20	V	V	V
VC-IR01	X	V	V

Cable



	VC-TR1	VC-TA50	VC-TR40
CAB-AOCU-ML	V	X	V
CAB-AOCH-XL	V	V	V
VC-AC06	V	V	V
VC-AC07	V	V	V

Wall Mount



	VC-TR1	VC-TA50	VC-TR40
VC-AC03	X	X	V
VC-WM11	V	X	X
VC-WM12	X	V	X
VC-WM14	V	X	V
VC-WM15	V	V	V



Lumens Digital Optics Inc.

5F, No.20, Taiyuan St., Jhubei City 30288, Taiwan
Tel: +886-3-552-6255 Fax: +886-3-552-6256

Lumens 中国

上海市浦东新区金吉路 778 号 1 幢 6 层 607 室
电话 : +86-21-51-098-999

Lumens Integration, Inc.

4116 Clipper Court, Fremont, CA, 94538
Phone: +1-866-600-0988 Fax: +1-510-252-1389

Lumens Europe

De Nayerstraat 17 9470 Denderleeuw Belgium
Phone: +32-473-58-38-95 Fax: +32-2-452-76-00