



Box Camera Family Specifications



The Innovation Behind The Image

Industry leader in professional image processing technology



*The warranty policy, TAA and NDAA compliant may be different depending on the sales region. Changes in specification or design may be done without notification.

4K-1080p | 60fps | 12x-30x Optical Zoom
HDMI / USB / IP / 3G-SDI / 12G-SDI



www.MyLumens.com

Box Camera



VC-BC701P



VC-BC601P



VC-BC301P

Sensor	1/2.5" 8.57MP	1/2.5" 8.57MP	1/1.8" 9.17MP
Resolution	4Kp60	1080p60	4Kp60
Video Output	HDMI 2.0 / Ethernet	3G-SDI / HDMI / Ethernet	HDMI 2.0 / USB / Ethernet
Optical Zoom	30x	30x	NA
Horizontal View	68°	68°	102°
PoE	PoE	PoE	PoE
Audio In	Line In / Mic In	Line In / Mic In	Line In / Mic In
Video Compression	HEVC(H.265) / H.264	HEVC(H.265) / H.264	HEVC(H.265) / H.264 / MJPEG
Streaming Protocol	RTSP / RTMP / RTMPS / MPEG-TS / SRT	RTSP / RTMP / RTMPS / MPEG-TS / SRT	RTSP / RTMP / RTMPS / MPEG-TS / SRT
Control Protocol	RS-232 / Ethernet	RS-232 / Ethernet	Ethernet / USB / Remote

Accessories

Camera Controller



	VC-BC701P	VC-BC601P	VC-BC301P
VS-KB30	V	V	V
VS-K20	V	V	X
VC-IR01	X	X	V

Cable



	VC-BC701P	VC-BC601P	VC-BC301P
CAB-AOCU-ML	X	X	V
CAB-AOCH-XL	V	V	V
VC-AC06	V	V	X
VC-AC07	V	V	X

Wall Mount



	VC-BC701P	VC-BC601P	VC-BC301P
VC-WM11	V	V	V
VC-WM14	V	V	V
VC-WM15	V	V	V



Lumens Digital Optics Inc.

5F, No.20, Taiyuan St., Jhubei City 30288, Taiwan
Tel: +886-3-552-6255 Fax: +886-3-552-6256

Lumens 中国

上海市浦东新区金吉路 778 号 1 幢 6 层 607 室
电话 : +86-21-51-098-999

Lumens Integration, Inc.

4116 Clipper Court, Fremont, CA, 94538
Phone: +1-866-600-0988 Fax: +1-510-252-1389

Lumens Europe

De Nayerstraat 17 9470 Denderleeuw Belgium
Phone: +32-473-58-38-95 Fax: +32-2-452-76-00