

VC-TR1	Auto-Tracking Camera
Lumens	<ul> <li>Auto-Tracking, Smart Switching and Auto-Framing</li> <li>Full HD 1080p 60fps with 20x Optical Zoom</li> <li>HDMI, 3G-SDI, IP or USB Video Outputs</li> <li>Supports PoE+ (Power over Ethernet)</li> </ul>
VC-TA50	Al Auto Tracking PTZ Camera
No service of the ser	<ul> <li>AI-Powered Human Face Recognition</li> <li>Three Tracking modes with auto framing</li> <li>1080P 60fps with 20x Optical Zoom</li> <li>HDMI, SDI, and Ethernet simultaneous output</li> <li>Support RTSP / RTMP / RTMPS / SRT</li> </ul>
VC-TR40	Al Auto-Tracking Camera
	<ul> <li>AI-Powered Human Face Recognition</li> <li>3 Tracking modes and 2 Framing modes</li> <li>1080P 60fps with 20x Optical Zoom</li> <li>HDMI, SDI, and Ethernet simultaneous output</li> <li>Supports RTSP / RTMP / RTMPS / SRT streaming</li> </ul>
VC-A71PN	4K NDI <sup>®</sup>  HX PTZ Camera
NDI HX	• 4K Ultra HD 60 fps  • 30x Optical Zoom / 63° HFoV  • NDI® HX Delivers High-quality Video with Ultra-low Latency



VC A71D	4K ID DTZ Camora
VC-A71P	4K IP PTZ Camera
The second of th	<ul> <li>4K Ultra HD 60 fps</li> <li>30x Optical Zoom / 63° HFoV</li> <li>HDMI, 12G-SDI, USB3.0 and IP(PoE) Video Output</li> <li>Smart AF – AI-Enabled Autofocus System</li> </ul>
VC-A61PN	4K NDI <sup>®</sup>  HX PTZ Camera
NDI HX	4K Ultra HD 30 fps     30x Optical Zoom / 68° HFoV     NDI® HX Delivers High-quality Video with Ultra-low Latency
VC-A61P	UHD PTZ IP Camera
	<ul> <li>4K 30fps and 1080p 60fps Video Output</li> <li>30x Optical Zoom and 68 Degrees HFoV</li> <li>IP(PoE), HDMI, and 3G-SDI (1080p) Synchronous Outputs</li> <li>Smart AF – AI-Enabled Autofocus System</li> </ul>
VC-A51P	Full HD PTZ Camera
	<ul> <li>Professional Sony image sensor</li> <li>Supports 1080p at 60fps</li> <li>Versatile 20x optical zoom</li> <li>Delivers HD video output via Ethernet, HDMI, and 3G-SDI simultaneously</li> </ul>



	. I = Jamoi a i anning
VC-A51PN	FHD NDI® HX PTZ Camera
	<ul> <li>Professional Sony image sensor</li> <li>Simultaneous NDI<sup>®</sup> HX, HDMI, and 3G-SDI video output</li> <li>Supports 1080p at 60fps</li> <li>Versatile 20x optical zoom</li> </ul>
VC-A52S	PTZ Video Camera
	<ul> <li>Supports WDR to Provide a Vivid Image</li> <li>Full HD 1080p with 60 fps</li> <li>20x Optical Zoom with 12x Digital Zoom</li> <li>3G-SDI, HDMI Synchronous Image Output</li> </ul>
VC-R30	Full HD IP PTZ Camera
	<ul> <li>1080p 60fps</li> <li>Superb value for money</li> <li>12x zoom / 72.5° horizontal field of view</li> <li>Simultaneous HDMI, 3G-SDI, USB, and IP streaming output</li> </ul>
VC-A71SN	4K IP PTZ Camera
NDI HX3	<ul> <li>4K 60 fps, 30x optical zoom, 1/1.8" Sensor</li> <li>12G-SDI, HDMI, Ethernet, USB3.0 output</li> <li>NDI HX3 / NDI HX2 / RTSP / RTMP / RTMPS / MPEG- TS / SRT</li> <li>FreeD protocol for live VR/AR production</li> <li>BT.2020 color space support</li> </ul>



VC-A71P-HN	4K IP PTZ Camera
NDI HX	<ul> <li>4K UHD 60fps results from large CMOS sensor</li> <li>30x optical zoom enhances details in the image</li> <li>Support Full NDI / NDI HX / RTSP / RTMP / RTMPS / MPEG- TS / SRT</li> <li>FreeD protocol for live VR/AR production</li> </ul>



VS-KB30	Compact IP Camera Controller
	<ul> <li>Joystick One-Handed PTZ Operation</li> <li>One Button AF, AE, AWB or Manual Knob Control</li> <li>Control 255 IP Cameras with 255 Presets and PoE Support</li> <li>Supports NDI® HX, VISCA, Pelco P&amp;D RS-232 / RS-422 / IP Control Interface</li> </ul>
VS-K20	PTZ Camera Controller
	<ul> <li>Joystick for Pan/Tilt/Zoom and Focusing</li> <li>Easy Operation of Versatile Camera Adjustments</li> <li>RS-232 / RS-422 Long-Distance Control Communication</li> <li>OLED Display and Auto Backlight Key</li> </ul>



### **Media Processor Family**

LC200	CaptureVision System
Lumens*	<ul> <li>4-Channels 1080p 60fps Recording, Streaming, Video Mixing and Live Switching</li> <li>4 HDMI, IP Cameras, RTSP Streams, 4 Line In</li> <li>Intuitive Plug &amp; Play GUI with Advanced Scenes Switch</li> <li>Built-in Standard 1TB HDD storage, Optional 2TB HDD</li> <li>Panopto and Crestron Integration</li> </ul>
LC100N	CaptureVision System
Lumens PRURATURE OF THE STATE O	<ul> <li>2-Channel Media Processing</li> <li>Simultaneous Recording, Live Production and Streaming</li> <li>NDI® HX, HDMI, SDI, RTSP and USB inputs</li> <li>XLR Audio with phantom power</li> <li>Built-in 2TB HDD storage</li> <li>Supports for NAS and FTP storage</li> </ul>
LC100	CaptureVision System
Lumens D D D D D D D D D D D D D D D D D D D	<ul> <li>2-Channel AV Source Processing</li> <li>Simultaneous Recording and Streaming</li> <li>2 HDMI, 2 SDI, IP Camera, RTSP, USB source inputs</li> <li>XLR with Phantom power supported</li> <li>Built-in 2TB HDD storage*</li> <li>* Model without an HDD available in specific regions.</li> </ul>

### **Media Processor Accessories**

LC-RC01	Remote Control Panel
U.S. standard: LC-RC01U  Lumens  Lumens  Lumens  Lumens  Lumens  Lumens  Lumens  Lumens	<ul> <li>Remote Control Recording, Streaming, and 3 Macro Settings of LC200 and LC100</li> <li>Supports USB Flash Drive Back Up</li> <li>Extend by Cat 5e/6 Cable Up to 98 ft (30m)</li> </ul>



# Box Camera Family

VC-BC701P	4K Box Camera
Lumens and it	<ul> <li>4K / 1080p 60fps</li> <li>30x Optical Zoom / 68° HFoV</li> <li>HDMI, Ethernet (PoE) Output &amp; Line/MIC In</li> <li>Supports HEVC / H.264; RTSP / RTMP / RTMPS / SRT</li> </ul>
VC-BC601P	1080p Box Camera
Lumens  - colored Par 4  Lumens  - framework in	<ul> <li>1080p 60fps</li> <li>30x Optical Zoom / 68° HFoV</li> <li>HDMI and 3G-SDI, Ethernet (PoE) Output &amp; Line/MIC In</li> <li>Supports HEVC / H.264; RTSP / RTMP / RTMPS / SRT</li> </ul>
VC-BC301P	4K IP POV Camera
4K/kip 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4K 60fps     12x Digital Zoom / 102° HFoV     HDMI 2.0, Ethernet (PoE), USB 3.0 Output & Line/MIC In     Supports RTSP / RTMP / RTMPS / MPEG-TS / SRT



#### **AVoIP Family**

### OIP-D50C

#### **AVoIP Controller**



- Centralized management of distributed encoders and decoders
   \*with OIP series
- Intuitive Web-based GUI for AV distribution and control
- Effortless sources switching and video wall deployment
- Supports PoE for easy installation

### OIP-D50E / OIP-D50D

#### 1G 4K AVoIP Encoder / Decoder



- AVOIP Decoder AK
  OIP-D50D
  H-Dmi
  Lumens'
- Delivers 4K@30Hz 4:4:4 pristine video quality with ultra-low latency
- Long-distance IP-based A/V transmission
- Video wall deployment with portrait and landscape orientation
- Intuitive Web-based GUI for AV distribution and control \*with OIP-D50C
- Supports PoE for easy installation
- Cost-effective A/V distribution solution

#### OIP-D40E / OIP-D40D

#### 1G AVoIP Encoder / Decoder





- Delivers 1080p pristine video quality with ultra-low latency
- Long-distance IP-based A/V transmission
- Video wall deployment with portrait and landscape orientation
- Intuitive Web-based GUI for AV distribution and control
   \*with OIP-D50C
- Entry-level A/V distribution solution



### **Video Conference Cameras**

VC-B30U	HD PTZ USB Camera
ZOOM Certified	<ul> <li>USB 3.0 and HDMI Video Output Interface</li> <li>Compatible with Windows, Linux, MAC OSX, Chrome OS</li> <li>12x Optical Zoom</li> <li>128 Preset Positions</li> </ul>
MS-10	4K Video Soundbar
(men)	<ul> <li>4K 30fps Ultra HD Image</li> <li>120° FoV and Auto-Framing</li> <li>Five Beamforming Microphone Arrays Pick Up the Speaker's Voice</li> <li>Bass Enhanced Speaker Makes the Voice Sound Clear</li> <li>One USB Cable with Video, Audio, and Ethernet</li> </ul>
VC-B11U	4K USB Conference Camera
ZOOM Certified	<ul> <li>Clear Images with 4K Sensor, Fixed-lens and WDR</li> <li>Effectively Capture Human Voice up to 5 Meters</li> <li>Hands-free Auto Framing Captures Everyone in a Perfect View</li> <li>Easily Control the Camera by a Mini Remote Control or Software</li> </ul>
VC-B2U	Full HD Webcam
1 Lumens	<ul> <li>Full HD 1080p Premium Video Quality</li> <li>Wide 90° Field of View can Capture People with Ease</li> <li>Dual-microphone Captures Voice from Every Angle</li> <li>USB Plug &amp; Play</li> </ul>



## **Document Camera Family**

DC-W80	4K Wireless Document Camera
Luncons	<ul> <li>2-in-1 Solution with Document Camera and Webcam</li> <li>Cordless with Wi-Fi Connection for Placing Anywhere</li> <li>Image Rotation 0° / 90° / 180° / 270° / Flip / Mirror</li> <li>LED Light with Three Brightness Levels</li> </ul>
DC-F80	4K USB Document Camera
Lumens	<ul> <li>4K 30fps UHD</li> <li>Gooseneck design for 2-in-1 Solution</li> <li>Larger than A3 shooting area</li> <li>Extreme close-up photography (2.4")</li> </ul>
DC172	4K Document Camera
	<ul> <li>4K,1080p, 720P, and XGA Output Resolution</li> <li>Rotate 90/180/270 Degrees, and Flip/Mirror</li> <li>HDMI Output and Pass Through up to 4K Resolution</li> <li>Image Annotation and Menu Operation by Mouse</li> </ul>
DC136	Rotate 90/180/270 Degrees, and Flip/Mirror     HDMI Output and Pass Through up to 4K Resolution



## **Document Camera Family**

DC193	20x Portable Document Camera
	<ul> <li>Full HD 1080p Output Resolution with 30fps</li> <li>20 Times Variable Zoom Ratio</li> <li>VGA Input/Output, HDMI Input/Output</li> <li>Built-in Microphone</li> </ul>
PC193	20x Portable Document Camera
	<ul> <li>Full HD 1080p Output Resolution with 30fps</li> <li>20 Times Variable Zoom Ratio</li> <li>VGA Input/Output, HDMI Input/Output</li> <li>Built-in Microphone</li> </ul>
DC132U	HD/2K HCD Decument Comers
BC 1320	HD/2K USB Document Camera
DC 1320	Full HD 1080p Output Resolution with 30fps     USB Plug & Play     16x Total Zoom (Via Software)     Macro Shooting from 4cm
DC1320  DC-F20	Full HD 1080p Output Resolution with 30fps     USB Plug & Play     16x Total Zoom (Via Software)



### **Document Camera Family**

PS753	4K Desktop Document Camera
	<ul> <li>4K Resolution with 300x zoom</li> <li>HDMI (IN &amp; OUT), VGA, Ethernet (PoE+), and USB output</li> <li>Wireless mouse for onboard annotation</li> <li>Records to USB drives</li> </ul>
PS752	Desktop Document Camera
	<ul> <li>Full HD 1080p Output Resolution with 30fps</li> <li>VGA, HDMI Input and Output and Supports HDMI Pass-Through</li> <li>20 Times Variable Zoom Ratio</li> <li>Built-in Microphone</li> </ul>
CL511	Ceiling Camera
Lumber 1	<ul> <li>4K UHD 30fps Output Resolution</li> <li>300x Total Zoom</li> <li>Supports RTSP streaming and PoE+</li> <li>Central Laser Marking Positioning</li> </ul>