



# Video Conference Camera Family Specifications



## The Innovation Behind The Image

Industry leader in professional image processing technology



\*The warranty policy, TAA and NDAA compliant may be different depending on the sales region. Changes in specification or design may be done without notification.

**4K-1080p | 60fps | 12x-30x Optical Zoom**  
**HDMI / USB / IP / 3G-SDI / 12G-SDI**



[www.MyLumens.com](http://www.MyLumens.com)

Video Conference  
Camera



**VC-B30U**



**VC-B11U**



**VC-B2U**

|                   |                         |                       |               |
|-------------------|-------------------------|-----------------------|---------------|
| Sensor            | 1/2.8" 2.41MP           | 1/2.8" 8.57MP         | 1/2.7" 2.13MP |
| Resolution        | 1080p60                 | 4Kp30                 | 1080p30       |
| Video Output      | HDMI / USB              | USB                   | USB           |
| Optical Zoom      | 12x                     | 1080p: 2x<br>720p: 3x | NA            |
| Horizontal View   | 72°                     | 110°                  | 90°           |
| PTZ               | PTZ                     | ePTZ                  | NA            |
| Audio In          | NA                      | Dual-Mics             | Dual-Mics     |
| Video Compression | YUV422 / MJPEG          | YUY2 / MJPEG / NV12   | YUY2 / MJPEG  |
| Control Interface | RS-232 In and Out / USB | USB                   | USB           |
| Control Protocol  | VISCA / UVC             | UVC / UAC             | UVC / UAC     |



**MS-10**

|                   |                     |
|-------------------|---------------------|
| Sensor            | 1/2.8" 8.29MP       |
| Resolution        | 4Kp30               |
| Video Output      | USB                 |
| Optical Zoom      | NA                  |
| Horizontal View   | 110°                |
| PTZ               | ePTZ                |
| Audio In          | 5 Mics              |
| Video Compression | MJPEG / YUY2 / NV12 |
| Control Interface | USB                 |
| Control Protocol  | UVC / UAC           |

## Accessories

### Camera Controller



|                | VC-B30U | VC-B11U | VC-B2U | MS-10 |
|----------------|---------|---------|--------|-------|
| <b>VS-KB30</b> | V       | X       | X      | X     |
| <b>VS-K20</b>  | V       | X       | X      | X     |
| <b>VC-IR01</b> | V       | X       | X      | X     |

### Cable



|                    | VC-B30U | VC-B11U | VC-B2U | MS-10 |
|--------------------|---------|---------|--------|-------|
| <b>CAB-AOCU-ML</b> | V       | V       | V      | V     |
| <b>CAB-AOCH-XL</b> | V       | X       | X      | X     |
| <b>VC-AC06</b>     | V       | X       | X      | X     |
| <b>VC-AC07</b>     | V       | X       | X      | X     |

### Wall Mount



|                | VC-B30U | VC-B11U | VC-B2U | MS-10 |
|----------------|---------|---------|--------|-------|
| <b>VC-AC03</b> | V       | X       | X      | X     |



**Lumens Digital Optics Inc.**

5F, No.20, Taiyuan St., Jhubei City 30288, Taiwan  
Tel: +886-3-552-6255 Fax: +886-3-552-6256

**Lumens 中国**

上海市浦东新区金吉路 778 号 1 幢 6 层 607 室  
电话 : +86-21-51-098-999

**Lumens Integration, Inc.**

4116 Clipper Court, Fremont, CA, 94538  
Phone: +1-866-600-0988 Fax: +1-510-252-1389

**Lumens Europe**

De Nayerstraat 17 9470 Denderleeuw Belgium  
Phone: +32-473-58-38-95 Fax: +32-2-452-76-00